#### Inventory No. QA-111

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

1. Name o	of Property	(indicate preferred r	name)			
historic	Green Lots					
other	Keating Farm					
2. Locatio	n					
street and numl	ber east side of Wrig	ht's Neck Rd			not for pu	blication
city, town	Centreville			<u>x</u>	vicinity	
county	Queen Anne's	· ·				
3. Owner	of Property	(give names and mailing	addresses of all owners	)		
name	Thomas J. Keatin	ıg, Jr				
street and num	ber			telephone		
city, town	Centreville		state MD	Z	zip code	21617
city, town	Centreville, MD	ueen Anne's County Court tax map	house liber tax parcel	WHC 5A folio		
5. Primary	Location of	Additional Data				· ************************************
Co De Re His	entributing Resource in etermined Eligible for the etermined Ineligible for t ecorded by HABS/HAEF	e National Register/Marylar the National Register/Maryl R or Research Report at MHT	and Register			
6. Classifi	cation			· · · · · · · · · · · · · · · · · · ·		
Categorydistrict _X_building(s)structuresiteobject	Ownershippublicx_privateboth	Current Functionagriculturecommerce/tradedefensedomesticeducationfunerarygovernmenthealth careindustry	landscaperecreation/culturereligionsocialtransportationwork in progressunknown _vacant/not in useother:	Resource C Contributing  Number of Copreviously list	Nonco	objects Total Resources

7. Description	1	Inventory No. QA-111
Condition		
<u>x</u> excellent good	deteriorated ruins	
fair	altered	

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

Green Lots is located on the east side of Wright's Neck Road one mile north of Maryland Route 18, approximately four miles west of Centreville. The house and farm buildings are sited on high ground to the east of Reed's Creek, overlooking a shallow stream that feeds into the creek.

The house at Green Lots was constructed in several different stages. The main house is frame, 2 ½ stories high, three bays wide, and one room deep, with an exterior brick chimney centered on the east gable wall. An early 1 ½ story frame wing projects from the east gable wall, a modern 1 ½ story wing was added to the west gable circa 1951-52.

The front façade of the main house faces south. The entrance door with segmental transom is located in the east bay on the first floor, with two 9/9 windows to the left (west). There are 9/6 windows in the east and west bays of the second floor and two 6/6 pitched roof dormer windows on the roof. The center bay is not expressed on either the second or third story.

The house rests on a continuous brick foundation and is covered with early hand-split wood shingles laid with 8 to 9 inches exposure and nailed with machine-made nails. The eaves are boxed in and trimmed with a complex bed mold and crown mold. The box cornice and bed mold turn the corner and return at each end of the façade, but the crown mold stops short of the corners. An open, gable roof entrance porch with chamfered posts protects the door on this façade. A boxwood lined walk stretches from this door south to the driveway; but the boxwoods have grown so large that the old walk is no longer usable.

The west gable is now partially covered by a mid-20th century west wing. This wing is not symmetrically aligned with the early house, leaving the north portion of the west gable exposed. The only openings in the west gable are a pair of four-light windows in the upper gable, flanking a large exterior brick chimney that shoulders in at the second story level. The early hand-split shingle siding survives on this wall. The front and rear cornice returns at the corners and is carried up the gable eaves.

On the north or rear façade, there is a six-panel door with no transom in the east bay and a 12/12 window in the west bay of the first story, two 9/6 windows on the second story, and one 6/6 pitched roof dormer centered on the third story. The shingle siding and roof match the front façade. The cornice is similar but the bed mold appears to be upside-down. The east gable wall is almost entirely covered by the 1 ½ story east wing. A single four-light window centered in the upper gable is the only opening in this wall. The siding and cornice match the west gable.

The east wing of the house is also frame, 1 ½ stories high and one room deep. It is unclear whether the wing is entirely original or was constructed in two stages. The first floor framing and foundation have been completely rebuilt and no conclusive evidence remains visible. A single brick chimney is centered on the ridge of the wing, marking the division between the dining room to the west and the kitchen to the east.

The west portion of the wing is two bays wide. There are two 6/6 windows on the first story of the south façade and two 4/4 shed roof dormers on the second story. On the north façade, a single 6/6 window is centered on the first story and a 4/4 shed roof dormer is offset to left of center on the second story. The foundation has been replaced; the siding consists of plain narrow weatherboards. The siding is carried across the seam between the two sections of the wing on the south façade but on the north façade is stopped against a plain trim board. The eaves are finished with a plain box cornice with a beaded fascia board; the roof is covered with wood shingles. The east portion of the wing serves as the kitchen. There is one 6/6 window in the center of the first story on the south façade and a 4/4 pitched roof dormer on the second story. On the north façade, a door in the east bay has been converted to a 6/6 window. A 6/6 window survives in the west bay and a single 4/4 gable roof dormer is centered on the second story. The gable wall is partially covered by a shed lean-to serving as a porch and pantry. A door in the south bay on the first floor opens onto the porch, a 6/6 window is centered in the upper gable. The only openings in the lean-to pantry are a four-light casement in the south wall opening onto the porch and a six-light casement on the east wall. The majority of the east section of the wing and the lean-to is sided with plain narrow weatherboards, but earlier wide weatherboards survive where they were protected by the porch. The box cornice and roof match the west portion of the wing. The east gable eaves are boxed in with a beaded fascia board.

The first floor of the main house originally consisted of a side stair hall across the east gable wall and a parlor to the west. The partition between these two rooms has been removed, opening the first floor up into a single large room. The stair rises on the east wall of the hall to an intermediate landing on the north wall. It is an open string stair with square newel posts and balusters and a single molded rail. The stair ends are left plain; the area below the carriage is paneled with flat recessed panels. A door under the landing opens into a closet under the stairs. The original six-panel rear door has fully fielded panels and Federal panel molds. The fireplace is centered on the west gable wall of the parlor. The firebox has been rebuilt and the mantel is a 20th century copy of a Federal mantel in the Keating House in Centreville (QA-153). A door to the left of the fireplace leads to a modern wing.

#### Inventory No. QA-111

## Maryland Historical Trust Maryland Inventory of Historic Properties Form

Green Lots (Keating Farm)

Continuation Sheet

Number 7 Page 1

A door in the east wall of the hall opens into the dining room, which forms the first floor of the original wing. A fireplace is centered on the east wall, with a built-in four-door cupboard in the alcove to the right and a door to the kitchen to the left. The cupboard appears to be original, with flat recessed panel doors mounted on modern H-L hinges. The original shelves and beaded shelf supports remain in place. The fireplace has been rebuilt, but the mantel is original. It is a board surround with paneled pilasters, plain sideblocks and frieze and a molded Federal shelf that breaks forward above the sideblocks. Other original trim in this room includes a simple two-piece chairrail, beaded baseboard and backband trim with an ovolo backband. Beaded corner posts remain visible in the northwest and southwest corners of the room, and the plaster ceiling has been removed to reveal a joist ceiling supported by a hewn summer beam that runs from the chimney on the east wall to the west wall.

The kitchen is in the easternmost end of the enlarged wing. A small brick chimney backs on the dining room fireplace, but has been blocked up. In the southwest corner of the kitchen, a stair leads down to the cellar. From the cellar steps it is possible to see the riven lathing of the dining room wall. The ceiling in the kitchen has also been removed to exposed roughly hewn and pit sawn joists.

The second floor of the main house is divided into three rooms by vertical beaded board partitions. These include a stairhall to the northeast, a small chamber now used as a bath to the southeast, and a large chamber to the west. The west room is heated by a fireplace on the west wall. The mantel is a board surround with a cove/astragal backband framing the opening and a simple molded Federal shelf above. Early trim includes molded baseboard and beaded window architraves with ovolo backbands. A modern crown mold has been added on the north and south walls, concealing exposed hewn top plates. The door to this chamber as well as the door to the small southeast chamber are original six-panel Federal doors hung on wrought H-L hinges. Early baseboard and architrave trim also survive in the stairhall and southwest chamber and the top plates remain exposed. A beaded corner post is visible in the northeast corner of the stairhall.

A door in the east wall of the stair hall leads down two steps into the second floor of the wing. This room is relatively plain except for the Federal mantel surround on the fireplace centered on the east wall. The door from the main house is an early beaded batten door hung on butt hinges and fitted with a spring latch. On the east wall, a beaded batten door to the right of the fireplace opens into a small closet. A larger door to the left opens into the room above the kitchen, three steps lower. This room is quite plain, and was not originally accessible from the second floor. A corner stair in the southwest corner allows access form the kitchen.

The third floor of the main house is a single large room. It has been renovated and now serves as storage. There is no access to the roof or eaves.

The cellar under the wing is completely modern, and all original floor framing has been replaced.

Meat House: To the north of the house is a log plank meat house, 12 feet square with a steeply pitched gable roof oriented on an east-west axis. The log planks are hewn and pitsawn. They average 2 to 2 ½ inches by 10 to 11½ inches and are joined at the corners with full dovetail notching. The building originally rested on large field stones under each corner. Three of the exterior walls are covered with vertical board siding on the lower walls; the upper gables are covered with flush horizontal siding. The log planks are left exposed on the north façade wall and the narrow spaces between the logs have been covered with plain one-inch boards. The only opening is a door in the center of the west gable wall fitted with a modern batten door. The door opening is only 4'-4" high and 3'9" wide. The roof is constructed of common rafters supported by a flat false plate and joined at the ridge with pegged mortise-and-tenon joints. The collars are half-lapped and nailed to each rafter pair with machine nails. Vertical pegs have been driven down through plank wall to stabilize the individual planks. Similar series of pegs flank the door opening.

Granary: To the southeast of the house is a small frame granary with flanking implement sheds, probably dating to the mid-19th century. This building is not unusual except for the wall studding. The studs average 3x7 and are laid flat to the sheathing. Similar studding has been found in two meat houses in the county (See Claude Anthony Farm, QA-249, and Gunther Farm QA-423). In both of these meat houses the studs are clearly reused log planks from a conventional dovetailed log structure, and it seems probable that the studs in this granary were also salvaged and reused. Shallow one-inch holes in the narrow edges of the stu uds may be evidence of the stabilizing pegs found in most log plank buildings in this area.

8. Signific	ance			Inventory No. QA-111
Period	Areas of Significance	Check and j	ustify below	
1600-1699 1700-1799 X 1800-1899 X 1900-1999 2000-	agriculture archeology x architecture art commerce communications community planning conservation	<ul> <li>economics</li> <li>education</li> <li>engineering</li> <li>entertainment/</li> <li>recreation</li> <li>ethnic heritage</li> <li>exploration/</li> <li>settlement</li> </ul>	<ul> <li>health/medicine</li> <li>industry</li> <li>invention</li> <li>landscape architecture</li> <li>law</li> <li>literature</li> <li>maritime history</li> <li>military</li> </ul>	performing arts philosophy _ politics/government religion science social history transportation other:
Specific dates			Architect/Builder	
Construction d	ates			
Evaluation for:				
	_National Register	M	laryland Register	not evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form – see manual.)

The early dwelling house at Green Lots dates to the last decade of the 18th century or the early part of the 19th century. It is typical of the side-passage, single parlor plan house form that was relatively common in the Tidewater Region from the late 18th century until the post-Civil War period. The west portion of the wing appears to be original while the east portion was probably added at an early date to replace a detached kitchen. Particular details of interest include the early hand-split shingle siding, the handsome interior stair, the board partitions on the second floor, and a variety of original trim.

Significant outbuildings include a dovetailed log plank meat house, probably dating to the second quarter of the 19th century, and a mid-19th century granary with flanking implement sheds.

9. Major Bibliographical References	Inventory No.	QA-111
-------------------------------------	---------------	--------

10.	Geo	gra	aph	iical	Data
-----	-----	-----	-----	-------	------

Acreage of surveyed property Acreage of historical setting Quadrangle name		Quadrangle scale:	
Verbal boundary description a	nd justification		

## 11. Form Prepared by

name/title	Orlando Ridout V, Historic Sites Surveyor		
organization	Queen Anne's County Historical Society	date	2/19/1981
street & number		telephon	е
city or town	Centreville	state	Maryland 21617

### Field Notebook QA-XIII; Recorded November 19, 1979

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust DHCD/DHCP 100 Community Place Crownsville, MD 21032-2023 410-514-7600

# INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

NAME					
HISTORIC					
Green Lo	ts				
Keating	Farm				
L					
LOCATION					
STREET & NUMBER					
	le Wright's Neck R	oad			
CITY, TOWN				IONAL DISTR	ICT
<u>Centrevi</u>	TIE X	VICINITY OF	lst		14,4
Maryland			COUNTY	en Anne	216
CLASSIFIC	ATION		Que	211 5211111	
CATEGORY	OWNERSHIP	STATUS		DDFA	P 1.17
DISTRICT	PUBLIC	X_OCCUPIED	X AGRI	CULTURF	ENTUSE
X_BUILDING(S)	X PRIVATE	UNOCCUPIED		MERCIAL	MUSEUM PARK
STRUCTURE	BOTH	WORK IN PROGRESS		ATIONAL	X PRIVATE RESIDE
SITE	PUBLIC ACQUISITION	ACCESSIBLE		RTAINMENT	RELIGIOUS
OBJECT	IN PROCESS	X YES: RESTRICTED	GOVE	RNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDU:	STRIAL	_TRANSPORTATIO
		NO	MILIT	ARY	OTHER:
OWNER OF	FPROPERTY				
NAME					
Thomas J	. Keating, Jr.		Telephone	# -	
STREET & NUMBER		N 1		H •	
Centrevi	110				ip code
the second of th		VICINITY OF		Maryla	nd 21617
	OF IFCAI DECCE	IPTION	Liber #:	WUC 5A	
LOCATION	Or midian Drock			WIIC JA	•
COURTHOUSE,			Dollar U	254	
COURTHOUSE,	TC Queen Anne's Co		Dollar U	354	
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER	TC Queen Anne's Cou		Dollar U	354	and the second s
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER Courthous			Dollar U	354	and the same and t
COURTHOUSE, REGISTRY OF DEEDS,E STREET & NUMBER Courthous CITY, TOWN	se Square		Folio #:	TATE	
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER COURTHOUS CITY, TOWN CENTREVI	se Square	unty Courthouse	Folio #:		nd
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER COURTHOUS CITY, TOWN CENTREVI	se Square	unty Courthouse	Folio #:	TATE	nd
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER COURTHOUS CITY, TOWN CENTREVI	se Square	unty Courthouse	Folio #:	TATE	nd
courthouse, REGISTRY OF DEEDS, E STREET & NUMBER Courthous CITY, TOWN Centrevi: REPRESEN	se Square	unty Courthouse	Folio #:	TATE	nd
courthouse, REGISTRY OF DEEDS, E STREET & NUMBER Courthous CITY, TOWN Centrevi: REPRESEN	se Square	unty Courthouse	Folio #:	TATE	nd
COURTHOUSE. REGISTRY OF DEEDS,E STREET & NUMBER COURTHOUS CITY, TOWN CENTREVI  REPRESEN TITLE DATE	se Square	ING SURVEYS	Folio #:	TATE Maryla	nd
courthouse, REGISTRY OF DEEDS,E STREET & NUMBER Courthous CITY, TOWN Centrevi REPRESEN	se Square	ING SURVEYS	Folio #:	TATE Maryla	nd
COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER Courthous CITY, TOWN Centrevi REPRESEN TITLE DATE DEPOSITORY FOR	se Square	ING SURVEYS	Folio #:	TATE Maryla	nd

CONDITION

**CHECK ONE** 

**CHECK ONE** 

X EXCELLENT

\_\_DETERIORATED

\_\_UNALTERED

X\_ALTERED

X ORIGINAL SITE

\_\_GOOD

\_\_UNEXPOSED

\_\_RUINS

\_\_MOVED DATE\_\_\_\_

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Green Lots is located on the east side of Wright's Neck Road one mile north of Maryland Route 18, approximately four miles west of Centreville. The house and farm buildings are sited on high ground to the east of Reed's Creek, overlooking a shallow stream that feeds into the creek.

The house at Green Lots was constructed in several different stages. The main house is frame, 2 1/2 stories high, three bays wide, and one room deep, with an exterior brick chimney centered on the west gable wall. An early 1 1/2 story frame wing projects from the east gable wall, a modern 1 1/2 story wing was added to the west gable circa 1951-52.

The front facade of the main house faces south. The entrance door with segmental transom is located in the east bay on the first floor, with two 9/9 windows to the left (west). There are 9/6 windows in the east and west bays of the second floor and two 6/6 pitched roof dormer windows on the roof. The center bay is not

PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	X.ARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
<b>₹</b> 1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
<b>X</b> 1900-	COMMUNICATIONS	INDUSTRYINVENTION	POLITICS/GOVERNMENT	OTHER (SPECIFY)
SPECIFIC DAT	ES	BUILDER/ARCI	HITECT	

STATEMENT OF SIGNIFICANCE

The early dwelling house at Green Lots dates to the last decade of the 18th century or the early part of the 19th century. It is typical of the side-passage, single parlor plan house form that was relatively common in the Tidewater Region from the late 18th century until the post-Civil War period. The west protion of the wing appears to be original while the east portion was probably so to a sid plantain to age in the added at an early date to replace a detached kitchen. ស ភាពសាល់ នៃការប្រសារ ឬ ឃុំបារប្រាស់ ខ្យ Particular details of interest include the early hand-split shingle siding, the handsome interior stair, the board partitions on the second floor antens mat. In terment of establishing an is a statement and a variety of original trim.

Significant outbuildings include a dovetailed log plank meat house, probably dating to the second quarter of the 19th century, and a mid-19th century granary with flanking implement sheds.

### 9 MAJOR BIBLIOGRAPHICAL REFERENCES

CONTINUE ON SEPARATE SHEET IF NECES	SARY
GEOGRAPHICAL DATA  ACREAGE OF NOMINATED PROPERTY	
	eries de la section de la companya
VERBAL BOUNDARY DESCRIPTION	
VERBAL BOONDART DESCRIPTION	(m. ). Sheri
ruess acous	
LIST ALL STATES AND COUNTIES FOR PROPERTIES (	OVERLAPPING STATE OR COUNTY BOUNDARIES COUNTY
STATE	COUNTY
FORM PREPARED BY	The control of the co
NAME / TITLE	
Orlando Ridout V, Historic Sites	Surveyor
ORGANIZATION	DATES 5 6
Queen Anne's County Historical So	ociety 2/19/81 TELEPHONE
CITY OR TOWN (C.E.	STATE
Centreville	Maryland

### Field Notebook QA-XIII; Recorded November 19, 1979.

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.


The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle

Annapolis, Maryland 21401

(301) 267-1438



Mary McCarthy Spring/Summer 2003 Digital color photo on file at MHT





QA-111 Green Lots
Wright's Neck Road
Centreville vicinity
Orlando Ridout V 1980
View from Southeast



QA-111 Green Lots
Wright's Neck Road
Centreville vicinity
Orlando Ridout V 1980
View from Northwest